



# Polymer- & Soft-Matter-Seminar

## SPECIAL EVENT

### Prof. Jin Kon Kim

National Creative Research Center for Block Copolymer Self-Assembly, Department of Chemical Engineering  
Pohang University of Science and Technology, Kyungbuk 790-784, Korea  
E-mail: [jkim@postech.ac.kr](mailto:jkim@postech.ac.kr)

## “Functional Nanomaterials based on Soft and Hard Nanoporous Templates”

Seung Yun Yang, Gumhye Jeon, Sung Hyun Han, and Jin Kon Kim\*

Two types of nanoporous templates, nanoporous block copolymer membranes and anodized aluminum oxide membranes (AAO), have been widely used for the development of new functional nanomaterials suitable for advanced membranes, electronics, optics, magnetism, and energy storage materials.

First, we prepared nanoporous templates by using thin films of mixtures of polystyrene-block-poly (methyl methacrylate) (PS-*b*-PMMA) and PMMA homopolymers. These templates have cylindrical nanoholes spanning the entire thickness of the film. The nanoporous films were found to be very effective for the filtration of human Rhinovirus type 14 (HRV 14), major pathogen of a common cold in humans, from the buffer solution.<sup>1</sup> We found that when the pore size was effectively controlled down to 6 nm, single file diffusion, namely, the constant drug release with time, was observed up to 2 months.<sup>2</sup> Also, when we fabricated functionalized nanochannels by using carboxylic acid terminated PS-*b*-PMMA, the nanochannel wall could be effectively used for immobilization site for molecular recognition agents (MRAs). By using overhanging single-stranded DNA as MRAs, the DNA-functionalized nanochannels showed high resolution to detect a single-base mismatch as well as to discriminate single-mismatched sequence at various locations (OCN-C1 vs OCN-C2) by hybridization preference with MRAs.<sup>3</sup> Second, we fabricated an electrically responsive nanoporous membrane based on polypyrrole doped with dodecylbenzenesulfonate anion which was electropolymerized on the side and upper walls of AAO. The pore size was acutated electrically depending on electrochemical state (oxidation vs reduction states). This smart membrane showed pulsatile (or on-demand) drug release by using fluorescently labeled protein as a model drug.<sup>4</sup>

#### References

1. S. Y. Yang, I. Ryu, H. Y. Kim, S. K. Jang, J. K. Kim, and T. P. Russell, *Adv. Mater.*, 18, 709 (2006).
2. S. Y. Yang, J.-A. Yang, E. S. Kim, G. Jeon, K. Y. Choi, S. K. Hahn, and J. K. Kim, *ACS Nano*, 4, 3817 (2010).
3. S. Y. Yang, S. Son, S. Jang, H. Kim, G. Jeon, W. J. Kim, and J. K. Kim, *Nano Letters*, 11, 1032 (2011).
4. G. Jeon, S. Y. Yang, J. Byun, and J. K. Kim, *Nano Letters*, 11, 1284 (2011).

Friday,  
30<sup>th</sup> August  
2013

at: 9.00 am

VSP1 1.26

Von-  
Seckendorff-  
Platz 1,  
06120 Halle

